

## CONTENTS

(Full texts are incorporated in CJESEVIER, a file in the Chemical Journals Online database available on STN International; Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

### Chiral derivatization and supercritical fluid extraction

- Supercritical fluid extraction with in situ chiral derivatization for the enantiospecific determination of ibuprofen in urine samples  
R. Bauza, A. Ríos and M. Valcárcel (Córdoba, Spain) ..... 1

### Immunoassay

- Quantitative immunoassay for determining polyaromatic hydrocarbons in electrical insulating oils  
I.S. Kim, L. Ritchie, S. Setford, J. Taylor, M. Allen (Bedford, UK), G. Wilson, R. Heywood, B. Pahlavanpour (Surrey, UK) and S. Saini (Bedford, UK) ..... 13

### Sensors and molecular imprinting

- Adhesives: a new class of polymer coatings for surface acoustic wave sensors for fast and reliable process control applications  
U. Stahl, M. Rapp (Karlsruhe, Germany) and T. Wessa (Berlin, Germany) ..... 27
- Iodide-selective carbon paste electrodes based on recently synthesized Schiff base complexes of Fe(III)  
M. Shamsipur (Kermanshah, Iran), A. Soleymanpour, M. Akhond, H. Sharghi and M.A. Naseri (Shiraz, Iran) ..... 37
- Electrochemical DNA biosensor for the determination of benzo[a]pyrene–DNA adducts  
K. Kerman, B. Meric, D. Ozkan, P. Kara, A. Erdem and M. Ozsoz (Izmir, Turkey) ..... 45
- Influence of intramolecular hydrogen bond of templates on molecular recognition of molecularly imprinted polymers  
T. Zhang, F. Liu, W. Chen, J. Wang and K. Li (Beijing, China) ..... 53

### Nitric oxide (NO) determination

- Membrane sampler for interference-free flow injection NO determination in biological fluids with chemiluminescence detection  
D. Yao, M.I. Prodromidis, A.G. Vlessidis, M.I. Karayannis and N.P. Evmiridis (Ioannina, Greece) ..... 63


### Chromatography

- Selective determination of total normal microcystin by colorimetry, LC/UV detection and/or LC/MS  
K. Kaya, T. Sano, H. Inoue and H. Takagi (Tsukuba, Japan) ..... 73

Identification of isoflavone conjugates in red clover ( <i>Trifolium pratense</i> ) by liquid chromatography-mass spectrometry after two-dimensional solid-phase extraction B. Klejdus, D. Vitamvášová-Stěrbová and V. Kubáň (Brno, Czech Republic) . . . . .	81
Evaluation of separation quality in two-dimensional hyphenated chromatography F. Gong, Y.-Z. Liang (Hunan, PR China), Q.-S. Xu (Changsha, PR China), F.-T. Chau and K.-M. Ng (Hong Kong, PR China) . . . . .	99
<b>Surface enhanced resonance Raman scattering (SERRS)</b>	
Semi-quantitative trace analysis of nuclear fast red by surface enhanced resonance Raman scattering I.T. Shadi, B.Z. Chowdhry, M.J. Snowden and R. Withnall (London, UK) . . . . .	115
<b>Chemometrics</b>	
Multivariate calibration with Raman data using fast principal component regression and partial least squares methods F. Estienne and D.L. Massart (Brussels, Belgium) . . . . .	123
Calibration of somatic cell count in milk based on near-infrared spectroscopy V. Pravdova, B. Walczak, D.L. Massart (Brussels, Belgium), S. Kawano (Tsukuba, Japan), K. Toyoda and R. Tsenkova (Kobe, Japan) . . . . .	131
Validation of a multivariate calibration method for the determination of chlorophyll <i>a</i> , <i>b</i> and <i>c</i> and their corresponding pheopigments L. Moberg and B. Karlberg (Stockholm, Sweden) . . . . .	143
Multivariate versus univariate calibration for nonlinear chemiluminescence data. Application to chromium determination by luminol-hydrogen peroxide reaction L.A. Tortajada-Genaro, P. Campíns-Falcó, J. Verdú-Andrés and F. Bosch-Reig (Valencia, Spain) . . . . .	155
Factorial analysis of a chemiluminescence system for bromate detection in water J.C.G. Esteves da Silva, J.R.M. Dias and J.M.C.S. Magalhães (Porto, Portugal) . . . . .	175
Continuous wavelet transform and its application to resolving and quantifying the overlapped voltammetric peaks L. Nie, S. Wu, J. Wang, L. Zheng, X. Lin and L. Rui (Hefei, China) . . . . .	185
<b>Antarctic snow ultra-trace analysis</b>	
Ultrasensitive determination of heavy metals at the sub-picogram per gram level in ultraclean Antarctic snow samples by inductively coupled plasma sector field mass spectrometry F.A.M. Planchon (Saint Martin d'Hères, France), C.F. Boutron (Saint Martin d'Hères, France and Grenoble, France), C. Barbante (Venice, Italy), E.W. Wolff (Cambridge, UK), G. Cozzi, V. Gaspari (Venice, Italy), C.P. Ferrari (Saint Martin d'Hères, France and Grenoble, France) and P. Cescon (Venice, Italy) . . . . .	193
<b>Atomic spectrometry</b>	
Determination of arsenic and antimony by microwave plasma atomic emission spectrometry coupled with hydride generation and a PTFE membrane separator Z. Gong (Hong Kong, China and Xiamen, PR China), W.F. Chan (Hong Kong, China), X. Wang (Xiamen, PR China) and F.S.-C. Lee (Hong Kong, China) . . . . .	207
<b>Preconcentration</b>	
Determination of cadmium, copper, lead and zinc in water samples by flame atomic absorption spectrometry after cloud point extraction J. Chen and K.C. Teo (Singapore, Singapore) . . . . .	215
Application of a new resin functionalised with 6-mercaptopurine for mercury and silver determination in environmental samples by atomic absorption spectrometry B.C. Mondal, D. Das and A.K. Das (Burdwan, India) . . . . .	223
Efficiency and mechanism of new poly(acryl-phenylamidrazone phenylhydrazide) chelating fiber for adsorbing trace Ga, In, Bi, V and Ti from solution X. Chang, X. Yang, X. Wei and K. Wu (Gansu, China) . . . . .	231
Selective solid phase extraction and preconcentration of iron(III) based on silica gel-chemically immobilized purpurogallin M.E. Mahmoud and M.S.M. Al Saadi (Jeddah, Saudi Arabia) . . . . .	239
<b>Visible spectrophotometry</b>	
Interference from arsenate when determining phosphate by the malachite green spectrophotometric method K.L. Linge and C.E. Oldham (Nedlands, Australia) . . . . .	247

**Electroanalytical chemistry**

Pulsed amperometric detection of furan compounds in transformer oil T. Bosworth, S. Setford (Beds, UK), R. Heywood (Surrey, UK) and S. Saini (Beds, UK) .....	253
Amperometric detection of cytochrome c by capillary electrophoresis at a sol-gel carbon composite electrode S.N. Tan and L. Hua (Singapore, Singapore) .....	263
<b>Author Index</b> .....	269
<b>Calendar of forthcoming meetings</b> .....	N1



<http://chemweb.com/gateways/elsevier.html>

---

**CONTENTS**  
**direct**

This journal is part of **ContentsDirect**, the *free* alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: [www.elsevier.com/locate/contentsdirect](http://www.elsevier.com/locate/contentsdirect)

---



Full text of this journal is available, on-line from **ScienceDirect**. Visit [www.sciencedirect.com](http://www.sciencedirect.com) for more information.

---